



# MAIN HALL (updated as of August 25, 2022)

University of the Philippines Theater Complex  
 Villamor Hall Osmena St. UP Campus Diliman, Quezon City  
 TEL. : 89205802/ 8981-8500 local 4290  
 Email : uptheater.upd@up.edu.ph

## AUDITORIUM

The Villamor Hall Auditorium has tiered fold down seats, at orchestra and balcony seats. Wheelchair spaces are available at the Orchestra section and require removal of seating to accommodate.

## STANDARD SEATING CAPACITY : 2,100

As of July 31, 2022 Guidelines on the Use of UPD Public Facilities and Venues and Operation of Commercial Establishments under Alert Level 1, the following number of seats are recommended.

Full Seating Capacity = 532  
 Orchestra = 335  
 Upper Orchestra = 78  
 Upper Balcony = 54  
 Lower Balcony = 45

## TECHNICAL SPECIFICATIONS

(Subject to change - contact venue for latest information)

STAGE	BACKSTAGE
<p><b>DESCRIPTION</b>            Stage height : 3'- 2" (1829 x 76mm) above floor of row 'A'            Stage edge to first row : 6'-3" (1905mm)            Stage Crossover: 7' (2134mm) behind rear wall of stage.</p> <p>Stage Surface : Wooden Sprung Floor (Currently under renovation)  <b>(Fastening of screws/Nailing to stage floor is STRICTLY NOT ALLOWED.)</b></p> <p>Stage Left Wing: 8'-2" (2489.2mm) from edge of Proscenium opening.            Stage Right Wing: 8'-1" (2463.8mm) from edge of Proscenium opening</p> <p><b>STAGE DIMENSIONS</b>            Proscenium Arch:            Width : 59' ( 17983mm)            Height : 30' ( 4877mm)            Thickness Left Wing : 4'-6" (1371mm)            Thickness Right Wing : 4'-9" (1447mm)            Distance from Plaster Line            to edge of Apron : 17' (5410mm)            to edge of Orchestra Pit: 32' (9754mm)            to Backwall : 53'- 8" (16154 x 203mm)</p> <p><b>PIANO</b>            Use of the Yamaha 500 grand piano is subject to availability, prior arrangement is necessary. The theater has a resident piano technician to tune the piano to A440 prior to rehearsals or performance. Rental fee is available upon request.</p> <p><b>RISERS</b>            There are 25 pieces risers with plywood deck. Rental fee is available upon request.            Platform width : 4' (1219mm)            Platform length : 8' (2438mm)            Platform height : 10" (254mm)</p>	<p><b>STAGE DOOR</b>            Stage Door is located at the east side of the building at the stage level.</p> <p><b>LOADING DOCK</b>            Ingress &amp; Egress are at the east side of the theater.            Access is from Magsaysay Avenue back parking to the Washington Sycip garden.            Loading Dock entrance: 14' x 9' (4267 x 229mm)            Door Dimensions:            Loading Door Height: 14'-4" x 7'-10" (4267 x 2134mm)            Double Doors to theater stage: 14'-4" x 7'-10" (4267 x 2134mm)</p> <p><b>DRESSING ROOMS</b>            Each dressing room is equipped with wall mounted Clear-Com talkback stations, make-up mirrors, tables and shared unisex toilets and showers (except at stage level)</p> <p>At the Stage Level            Rooms 1&amp;2                    3 persons /room</p> <p>Upper Ground Level            Room 3                        5 persons /room            Room 4                        20 persons/room</p> <p>2<sup>nd</sup> Floor Level            Rooms 5                        15 persons /room            Room 6                        20 persons /room</p> <p><b>SCENE SHOP</b>            The use of the scene shop is subject to availability. Lessee is responsible to bring tools and equipment. Rental fee is available upon request.</p>



# MAIN HALL (updated as of August 25, 2022)

University of the Philippines Theater Complex  
 Villamor Hall Osmena St. UP Campus Diliman, Quezon City  
 TEL. : 89205802/ 8981-8500 local 4290  
 Email : uptheater.upd@up.edu.ph

## AUDIO SYSTEM

### SOUND MIXING CONSOLE

Main Board: Allen & Heath QU32 Digital Mixing Console

#### Specifications:

- Mic input: 1-32 channels
- Mix out: 1-10
- Mix out: 5-6 stereo
- Mix out 7-8 Left and Right house speakers
- Mix out 9-10 Left and Right sub-low speakers

#### Accessories:

- Asus 300 Access Point Router
- Apple iPad Air 2019 mixing console tablet

### HOUSE SPEAKER SYSTEM

#### Main House Speaker

16 units (8 per side hang) Adamson passive IS7 Line Array Cabinet

4 units (2 per side hang) Adamson IS118 Subwoofer

3 units Lab. Gruppen 080: 4L Digital Amplifier

Allen & Heath Digital Snake signal cuts Left and Right

Allen & Heath AR 24.12 Audio Rack

Channel input 24 XLR-Left

Channel output 12 XLR

Digital Snake expander signal cuts right

Allen & Heath AR84 Audio Rack

Channel input 8 XLR

Channel output 4 XLR

#### Monitor Speakers

6 units Monitor speaker turbo sound M12 w/ Tripod

4 units Monitor speaker turbo sound M10 w/ Tripod

### MICROPHONE & MIC STANDS

#### Wireless Microphones

2 units Shure SM 58 Dynamic BLX25J10

6 units Shure PG58 Dynamic SBXZ2G17

7

#### Wired Microphones

6 units Audio - Technica AT2021 Cardioid Condenser

7 units Nova Studio Cardioid Condenser Large Diaphragm

8 units Shure SM 58 Cardioid Dynamic Vocal

#### Microphone stands

15 units Samson Boom Stand with Tripod Base/ Black finish

### COMMUNICATION SYSTEM

1 unit Clear-com MS 702/ 2- channel party line main station

1 unit Clear-com PS 702 power supply

7 units Clear-com wired single channel Belt Pack RS 701

4 units Clear-com CC-110-X4 LW Single Ear Standard Headset

7 units Clear-com CC-300-X4 Single Ear Standard HS XLR-4F

#### Clear-Com Line Stations

Stage Left

Stage Right

Orchestra Pit

Fly Rail control

Follow spot left

Follow spot right

Dimmer room

Audience center

Orchestra

2x Technical Booth control

#### Clear-Com Wireless system

*(Rental Fee is available Upon Request)*

1 unit Free speak II Base station system

4 units Free speak II Belt Pack wireless

4 units CC110 single ear light headset

### CABLES & CONNECTORS

1 lot microphone cables 20m each neutrix XLR strands

1 lot PL and RCA connectors

### MUSIC STANDS

30 units Music Stands & 30 units Attril Lights are available for rent.



# MAIN HALL (updated as of August 25, 2022)

University of the Philippines Theater Complex  
 Villamor Hall Osmena St. UP Campus Diliman, Quezon City  
 TEL. : 89205802/ 8981-8500 local 4290  
 Email : uptheater.upd@up.edu.ph

## STAGE LIGHTING

FOH and Apron positions are usually Standard Rig of the Theater. However, stage overhead lighting rig can be set for each production.

### CONTROL

Lighting Control Board:

1 unit ETC Element 2: 6,144 output lighting console

### DIMMERS

1 rack 72 channel ETC Sensor 3 Power Control System  
 1 unit Martin RDM 5.5 DMX Splitter

### LIGHTING FIXTURES

ETC Source 4 Ellipsoidal with color frame, twistlock connector, 750W HPL lamp

12 units 10 degrees  
 14 units 19 degrees  
 14 units 26 degrees  
 16 units 36 degrees  
 16 units 50 degrees

24 units ETC Colorsource LED PAR  
 12 units ETC Colorsource LED Cyclorama Fixture

### POWER SUPPLY

Available spare power disconnects: (local supply)  
 2 units 100 AMP (Single phase)  
 1 unit 700 AMP (Three phase)

Rental Generator trucks Parking/ Cable Access are located at the east side of the building. Lessee must bring own power cable.

### CIRCUITS LOCATION

FOH 1	9 - 21
FOH 2	1 - 8
Apron right	22-24; 31-33
Apron left	25-27; 29-30
Electrics #1	34- 48
Electrics #2	49- 58

### CIRCUIT #

### COLOR FILTER INVENTORY

LEE # 105	LEE # 111
LEE # 132	LEE # 113
LEE # 137	LEE # 110
LEE # 121	LEE # 152
LEE # 109	LEE # 165
LEE # 106	LEE # 126
LEE # 119	LEE # 162
LEE # 136	LEE # 201
LEE # 103	
LEE # 107	

### ACCESSORIES

18 pieces	Drop in Iris
40 pieces	3m DMX Cable 5-pin to 5-pin
40 pieces	Power cable (PowerCON to PowerCON)
8 pieces	Power cable (Twistlock to PowerCON)
18 pieces	Pattern Holder

# MAIN HALL (updated as of August 25, 2022)

University of the Philippines Theater Complex  
Villamor Hall Osmena St. UP Campus Diliman, Quezon City  
TEL. : 89205802/ 8981-8500 local 4290  
Email : uptheater.upd@up.edu.ph

## STAGE OVERHEAD RIGGING

Manual type Single Purchase Counterweight Flying System. (See Ground Plan for Fly line Allocation)

No. of flylines : 12  
Batten type : 1- 1/2" (38.1mm) Sch 40 pipe  
Batten length : 68' (20726 mm)  
Batten height (to bottom of grid floor): 72' (21946 mm)  
Maximum Average Loading Weight Per Flyline: 300 kg

There is no fixed drapery assignment to a batten.

### DRAPERIES

Type	Material	Color	Size	Quantity
Curtain	Velvet	Black	45' x 30' (13716 x 9144mm)	1 piece
Curtain	Velvet	Black	16' x 30' (4876.80 x 9144mm)	2 pieces
Curtain	Cotton	Black	23'-8" x 30' (7213.6 x 9144mm)	6 pieces
Curtain	Cotton	Black	8'-4" x 30' (2540 x 9144mm)	2 pieces
Curtain	Cotton	Black	37'-9" x 30' (11506.20 x 9144mm)	2 pieces
Curtain	Cotton	Black	26'-3" x 14' (8001 x 355.60 mm)	2 pieces
Curtain	Serge Wool	Black	21' x 30' (60401 x 9144mm)	2 pairs
Leg Curtain	Serge Wool	Black	9'- 6" x 30' (2743 x 152mm)	5 pairs
Border Curtain	Serge Wool	Black	60' x 10' (18288 x 3048mm)	4 pieces
Cyclorama Cotton	Canvass (with horizontal seams)	White	45' x 60' (13716 x 18288mm)	1 piece

### ACCESS EQUIPMENT

2 unit 10' (3048 mm) A-Ladder  
2 units 8' (2438.4mm) A-Ladder  
2 unit 24' (7315 mm) H-Frame Scaffolding w/ wheel casters  
1 unit 32' (9753.6mm) Extension Ladder  
1 unit JLG 41AM DC Push Around Vertical Focusing Lift

### VIDEO SCREEN

2 units Front Projection Framed Grey Fabric  
Dimensions: 9' x 13' (2743 x 3962mm)

## LOBBY

The Ground Floor Lobby can accommodate pre-show events as well as art exhibitions. Part of the Ground Floor Lobby is being used for display of old Carillon Bells and some works of art. There are also 200 pieces of monoblock chairs available upon request.